

# SAFETY DATA SHEET



## 1. IDENTIFICATION

### Product identifier

**Product Name** BSI-45 Degreasing Cleaner and Additive

### Other means of identification

No information available

### Recommended Uses

Liquid Alkaline Cleaner

### Distributor Address

Best Sanitizers, Inc.  
PO Box 1360  
Penn Valley, CA 95946

### Emergency telephone number

**Emergency Phone Numbers** CHEMTREC 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

This product is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin Corrosion	Category 1
Serious eye damage	Category 1

**Signal word**

**Danger**

### Hazard statements

Causes serious skin burns and eye damage.



**Appearance** Aqueous solution

**Physical State** Liquid

**Odor** Solvent

### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash face, hands, and any exposed skin thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.

### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician.  
Specific treatment (see Section 4 on SDS for more information).  
**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.  
**IF ON SKIN (or hair):** Remove/Take off immediately all contaminated clothing. Rinse skin (hair) with water/shower. Wash contaminated clothing and shoes before reuse.  
**IF INHALED:** Remove victim to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.  
**IF SWALLOWED:** Rinse mouth. DO NOT induce vomiting.

### **Precautionary Statements - Storage**

Stored locked up.

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

<b>Chemical Name</b>	<b>CAS No.</b>	<b>Weight %</b>	<b>Trade Secret</b>
Water	7732-18-5	80-89	
Trade Secret 1	Proprietary	3-5	*
Sodium Hydroxide	1310-73-2	2-5	
Ethylene glycol monobutyl ether	111-76-2	2-4	
Propylene glycol monomethyl ether	107-98-2	1-3	
Dipropylene glycol monomethyl ether	34590-94-8	1-3	
Trade Secret 2	Proprietary	< 1.0	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

## **4. FIRST AID MEASURES**

### **First aid measures**

<b>Eye Contact</b>	Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after first 5 minutes, then continue rinsing eye(s). Seek immediate medical advice/ attention.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing and shoes before reuse. Get medical attention if irritation develops and persists.
<b>Inhalation</b>	Remove to fresh air. Administer oxygen if breathing is difficult. Call a physician if necessary.
<b>Ingestion</b>	Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician immediately.

### **Most important symptoms and effects, both acute and delayed**

<b>Most Important Symptoms and Effects</b>	See Section 11 for symptom information.
--	---

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians:** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media**

Dry Chemical. Water spray (fog), Carbon dioxide (CO2), Foam.

**Unsuitable Extinguishing Media**

No Information available.

**Specific Hazards Arising from the Chemical**

No Information available.

**Hazardous combustion products:** Carbon monoxide.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment, and emergency procedures**

**Personal Precautions** Use personal protection recommended in Section 8. Ensure adequate ventilation, especially in confined areas.

**For emergency responders** Isolate area. Keep unnecessary personnel away.

**Environmental precautions**

**Environmental Precautions** Prevent entry into waterways, sewers, basements, or confined areas. See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g., sand, earth, diatomaceous earth, vermiculite) and Collect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Following product recovery, flush area with water.

**Methods for Cleaning Up**

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Handling** Use personal protection recommended in Section 8. Avoid contact with skin, eyes, or clothing. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions/  
Incompatible materials** Keep Containers tightly closed in a dry, cool, and well-ventilated place. Keep from freezing.  
Strong oxidizing agents. Acids.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Control parameters

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>
Ethylene glycol monobutyl ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup>	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
Dipropylene glycol monomethyl ether 107-98-2	STEL: 150 ppm TWA: 50 ppm	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m <sup>3</sup>	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>
Propylene glycol monomethyl ether 107-98-2	STEL: 100 ppm TWA: 50 ppm	(vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup> STEL: 150 ppm STEL: 540 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

### Appropriate engineering controls

**Engineering Controls** Showers, eyewash stations, ventilation system.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Splash proof chemical goggles and face shield.

**Skin and Body Protection** Wear Protective Neoprene gloves. Rubber gloves. Normal work clothing (long sleeved shirt and long pants) are recommended. Apron recommended.

**Respiratory Protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene Measures** Wash face, hands, and any exposed skin thoroughly after handling. Wash contaminated clothing and shoes before reuse. Do not Eat, Drink or Smoke when using this product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

<b>Physical State</b>	Liquid	<b>Odor</b>	Solvent
<b>Appearance</b>	Aqueous solution	<b>Odor Threshold</b>	Not Determined
<b>Color</b>	Clear to pale yellow		
<b>Property</b>	<b>Values</b>	<b>Remarks/ Method</b>	
<b>pH</b>	13	+/- 1 21°C	
<b>Melting/freezing point</b>	< -6.7°C / < 20° F	None known	

<b>Boiling point / boiling range</b>	No information available.	None known
<b>Flash Point</b>	> 93.3 °C / > 200°F	None known
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limits in Air</b>		
<b>Upper flammability limits</b>	No data available	None known
<b>Lower flammability limits</b>	No data available	None known
<b>Vapor pressure</b>	No data available	None known
<b>Vapor density</b>	No data available	None known
<b>Specific Gravity</b>	1.036 g/cc	None known
<b>Water Solubility</b>	Soluble in water.	None known
<b>Solubility in other solvents</b>	No data available	None known
<b>Partition coefficient:</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

None known.

### Incompatible materials

Strong Oxidizing agents. Acids.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

<b>Inhalation</b>	Inhalation of vapors in high concentration may cause irritation of respiratory system.
<b>Eye Contact</b>	Irritating to eyes. Extended eye exposure may result in corneal damage.
<b>Skin Contact</b>	Prolonged contact may cause irritation.
<b>Ingestion</b>	Harmful if swallowed.

### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene glycol monomethyl ether 107-98-2	= 5000 mg/kg (Rat)	= 13g/kg (Rabbit)	>7559 ppm (Rat) 6 h
Ethylene glycol monobutyl ether 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Dipropylene glycol monomethyl ether 34590-94-8	= 5400 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-
Trade Secret 2	= 3200 mg/kg (Rat)	= 15440 mg/kg (Rabbit)	-

**Information on toxicological effects**

Sensitization No Information Available

Germ cell mutagenicity No Information Available

Carcinogenicity This product contains one or more substances which are classified by ACGIH: A3-Confirmed animal carcinogen with unknown relevance to humans. IAAC: (Group 3 (Not classifiable as to its carcinogenicity to humans)).

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene glycol monobutyl ether 111-76-2	A3	Group 3	-	-

Reproductive toxicity No Information Available

STOT single exposure No Information Available

STOT repeated exposure No Information Available

**Numerical measures of toxicity –Product Information**

**Unknown Acute Toxicity** 4% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on Chapter 3.1 of the GHS document

**ATE mix (oral)** 13,945 mg/kg

**ATE mix (dermal)** 17595 mg/kg

**ATE mix (inhalation-dust/mist) ATE mix (inhalation-vapor)** 50 mg/L

**ATE mix (oral)** 69.56 mg/L

**12. Ecological Data**

**Ecotoxicity**

Harmful to aquatic life with long lasting effects

4.03% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Fish	Crustacea
Ethylene glycol monobutyl ether 111-76-2	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 1698-1940: 24 h Daphnia magna mg/L EC50
Sodium hydroxide 1310-73-2	45.4: 96 h Onocorhynchus mykiss mg/L LC50 static	-
Propylene glycol monomethyl ether 107-98-2	20.8: 96 h Pimephales promelas g/L LC50 static 4600-10000: 96 h Leuciscus idus mg/l LC50 static	23300: 48 h Daphnia magna mg/L EC50
Dipropylene glycol monomethyl ether 34590-94-8	10000: 96 h Pimephales promelas mg/L LC50 static	1919: 48 h Daphnia magna mg/L EC50
Trade Secret 2	11619: 96 h Pimephales promelas mg/L LC50 static	10: 48 h Daphnia magna mg/L EC50

**Persistence and Degradability**

No Information Available.

**Bioaccumulation**

Chemical Name	Partition Coefficient
Ethylene glycol monobutyl ether 111-76-2	0.81
Propylene glycol monomethyl ether 107-98-2	-0.437
Dipropylene glycol monomethyl ether	-0.064

34590-94-8	
------------	--

**Mobility**

Soluble in water.

**Other adverse effects**

No information available.

**13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national, and local laws and regulations.

**Contaminated packaging** Dispose of in accordance with federal, state, and local regulations.

Chemical Name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic; Corrosive

**14. TRANSPORT INFORMATION**

**DOT**

Not regulated by US DOT

**15. REGULATORY INFORMATION**

**Chemical Inventories**

- TSCA** Complies
- DSL/NDSL** Complies
- EINECS/EIINCS** Does not comply
- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization of 1986 (SARA). This product contains a chemical(s) which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. Note: (related to Glycol ethers): 1.0% de minimis concentration (applies to R-(OCH2CH2) N-OR", where n = 1,2, or 3, R=alkyl C7 or less, or R = phenyl or alkyl substituted phenyl, R' = H or alkyl C7 or less, or' consisting of carboxylic acid ester, sulfate, phosphate, nitrate or sulfonate, phosphate, nitrate, or sulfonate, Chemical Category N230

Chemical Name	SARA 313 - Threshold Values %
Ethylene glycol monobutyl ether 111-76-2	1.0

**SARA 311/312 Hazard Categories**

- Acute Health Hazard** Yes
- Chronic Health Hazard** No
- Fire Hazard** No
- Sudden Release of Pressure Hazard** No
- Reactive Hazard** No

**CWA (Clean Water Act)**

This product contains the following substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA Reportable	CWA Toxic Pollutants	CWA Priority Pollutants	CWA Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lbs	-	-	X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environment Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lbs	-	RQ 1000 lbs final RQ RQ 454 kg final RQ

**US State Regulations****California Proposition 65**

Warning! This product may contain trace amounts of Ethylene oxide 75-21-8.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene glycol monobutyl ether 111-76-2	X	X	X
Sodium hydroxide 1310-73-2	X	X	X
Propylene glycol monomethyl ether 107-98-2	X	X	X
Dipropylene glycol monomethyl ether 34590-94-8	X	X	X
Trade Secret 2	X	-	X

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazard</b> 1	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Physical and Chemical Hazards</b> 0
<b>HMIS</b>	<b>Health Hazard</b> 1	<b>Flammability</b> 0	<b>Physical Hazard</b> 0	<b>Personal Protection</b> B (safety glasses; gloves)

**Prepared By** Technical Department

**Preparation/Revision Date** January 2, 2021

**Version** 5

**Revision Note** Annual Review

**Reference****General Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



**End of Safety Data Sheet**