

# SAFETY DATA SHEET



## 1. IDENTIFICATION

### Product identifier

**Product Name** BSI-100 RTU All-Purpose Hard Surface Cleaner

### Other means of identification

Hard Surface Cleaner

### Recommended Uses

Appliances, Stainless Steel, Chrome, Greasy Surfaces

### Distributor Address

**Best Sanitizers, Inc.**  
PO Box 1360  
Penn Valley, CA 95946

### Emergency telephone number

**Emergency Phone Numbers** CHEMTREC 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

This product is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin Corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1

### Signal word

**Danger**

### Hazard statements

Causes serious skin burns and eye damage.



**Appearance** Aqueous solution

**Physical State** Liquid

**Odor** Lemon

### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash face, hands, and any exposed skin thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.

### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician.  
Specific treatment (see Section 4 on SDS for more information).  
**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.  
**IF ON SKIN (or hair):** Remove/Take off immediately all contaminated clothing. Rinse skin (hair) with water/shower. Wash contaminated clothing and shoes before reuse.  
**IF INHALED:** Remove victim to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.  
**IF SWALLOWED:** Rinse mouth. DO NOT induce vomiting.

### **Precautionary Statements - Storage**

Stored locked up.

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

### **Hazards not otherwise classified (HNOC)**

Not Applicable

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

<b>Chemical Name</b>	<b>CAS No.</b>	<b>Weight %</b>	<b>Trade Secret</b>
Water	7732-18-5	80-89	
Dipropylene glycol monomethyl ether	34590-94-8	1-3	
Ethylenediaminetetraacetic acid tetrasodium salt	64-02-8	0.05-0.15	
Trade Secret 1	Proprietary	1-2	*
Trade Secret 2	Proprietary	0.3-0.6	*
Trade Secret 3	Proprietary	0.3-0.6	*
Trade Secret 4	Proprietary	0.2-0.4	*
Trade Secret 5	Proprietary	0.1-0.3	*
Sodium hydroxide	1310-73-2	0.05-0.15	

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

## **4. FIRST AID MEASURES**

### **First aid measures**

#### **Eye Contact**

Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after first 5 minutes, then continue rinsing eye(s). Seek immediate medical advice/ attention.

#### **Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing and shoes before reuse. Get medical attention if irritation develops and persists.

#### **Inhalation**

Remove to fresh air. Administer oxygen if breathing is difficult. Call a physician if necessary.

#### **Ingestion**

Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician immediately.

### **Most important symptoms and effects, both acute and delayed**

#### **Most Important Symptoms and Effects**

See Section 11 for symptom information.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians:** Treat symptomatically.

---

**5. FIRE-FIGHTING MEASURES**

---

**Suitable Extinguishing Media**

Dry Chemical. Water spray (fog), Carbon dioxide (CO<sub>2</sub>), Foam.

**Unsuitable Extinguishing Media**

No Information available.

**Specific Hazards Arising from the Chemical**

No Information available.

**Hazardous combustion products:** Carbon monoxide.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out.

---

---

**6. ACCIDENTAL RELEASE MEASURES**

---

**Personal precautions, protective equipment, and emergency procedures**

**Personal Precautions**

Use personal protection recommended in Section 8. Ensure adequate ventilation, especially in confined areas.

**For emergency responders**

Isolate area. Keep unnecessary personnel away.

**Environmental precautions**

**Environmental Precautions**

See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for Containment**

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g., sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (See Section 13).

**Methods for Cleaning Up**

Collect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Following product recovery, flush area with water.

---

**7. HANDLING AND STORAGE**

---

**Precautions for safe handling**

**Handling**

Use personal protection recommended in Section 8. Avoid contact with skin, eyes, or clothing. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions/  
Incompatible materials**

Keep Containers tightly closed in a dry, cool, and well-ventilated place. Keep from freezing.

Strong oxidizing agents. Acids.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dipropylene glycol monomethyl ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m <sup>3</sup>	DLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

### Appropriate engineering controls

**Engineering Controls**                      Showers, eyewash stations, ventilation system.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection**                      Wear safety glasses with side shields (or goggles).

**Skin and Body Protection**                      Wear Protective Neoprene gloves. Rubber gloves. Normal work clothing (long sleeved shirt and long pants) are recommended. Apron recommended.

**Respiratory Protection**                      If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene Measures**                      Wash face, hands, and any exposed skin thoroughly after handling. Wash contaminated clothing and shoes before reuse. Do not Eat, Drink or Smoke when using this product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

<b>Physical State</b>	Liquid	<b>Odor</b>	Lemon
<b>Appearance</b>	Aqueous solution	<b>Odor Threshold</b>	Not Determined
<b>Color</b>	Clear, yellow		

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
pH	12	+/- 1 21°C
Melting/freezing point	-1.0°C / 30° F	None known

<b>Boiling point / boiling range</b>	No information available.	None known
<b>Flash Point</b>	> 93.3 °C / > 200°F	Closed cup
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limits in Air</b>		
<b>Upper flammability limits</b>	No data available	None known
<b>Lower flammability limits</b>	No data available	None known
<b>Vapor pressure</b>	No data available	None known
<b>Vapor density</b>	No data available	None known
<b>Specific Gravity</b>	1.005 g/cc	None known
<b>Water Solubility</b>	Soluble in water.	None known
<b>Solubility in other solvents</b>	No data available	None known
<b>Partition coefficient:</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

None known.

### Incompatible materials

Strong Oxidizing agents.

### Hazardous Decomposition Products

Carbon monoxide.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

<b>Inhalation</b>	Inhalation of vapors in high concentration may cause irritation of respiratory system.
<b>Eye Contact</b>	Irritating to eyes. Extended eye exposure may result in corneal damage.
<b>Skin Contact</b>	Corrosive. Contact causes severe skin irritation and possible burns.
<b>Ingestion</b>	May be harmful if swallowed. Can burn mouth, throat, and stomach.

### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	>90 mL/kg (Rat)	-	-
Ethylenediaminetetraacetic acid tetrasodium salt 64-02-8	= 10 g/kg (Rat) = 1658 mg/kg (Rat)	-	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Dipropylene glycol monomethyl ether 34590-94-8	= 5400 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-
Trade Secret 1	= 2100 mg/kg (Rat)	-	-

**Information on toxicological effects**

Symptoms No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

Sensitization No Information Available

Germ cell mutagenicity No Information Available

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP

Chemical Name	ACGIH	IARC	NTP	OSHA
-	-	-	-	-

Reproductive toxicity No Information Available

STOT single exposure No Information Available

STOT repeated exposure No Information Available

**Numerical measures of toxicity –Product Information****Unknown Acute Toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on Chapter 3.1 of the GHS document

**Oral LD50**

92360 mg/kg

**12. Ecological Data****Ecotoxicity**

1.55737% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
Ethylenediaminetetraacetic acid tetrasodium salt 64-02-8	1.01: 72h <i>Desmodesmus subspicatus</i> mg/L EC50	41: 96 h <i>Lepomis macrochis</i> mg/L LC50 static 59.8: 96 h <i>Pimephales promelas</i> mg/L LC50 static	1919: 48 h <i>Daphnia magna</i> mg/L LC50
Sodium hydroxide 1310-73-2	-	45.4: 96 h <i>Onocorhynchus mykiss</i> mg/L LC50 static	-
Dipropylene glycol monomethyl ether 34590-94-8	-	10000: 96 h <i>Pimephales promelas</i> mg/L LC50 static	1919: 48 h <i>Daphnia magna</i> mg/L EC50
Trade Secret 1	-	3.2: 96 h <i>Pimephales promelas</i> mg/L LC50	3.2: 48 h water flea mg/L EC50

**Persistence and Degradability**

No Information Available.

**Bioaccumulation**

Chemical Name	Partition Coefficient
Dipropylene glycol monomethyl ether 34590-94-8	-0.064

**Mobility**

Soluble in water.

**Other adverse effects**

No information available.

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

**Disposal of wastes** Disposal should be in accordance with applicable regional, national, and local laws and regulations.

**Contaminated packaging** Dispose of in accordance with federal, state, and local regulations.

Chemical Name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic; Corrosive

### 14. TRANSPORT INFORMATION

#### DOT

Not regulated by US DOT

### 15. REGULATORY INFORMATION

#### **Chemical Inventories**

**TSCA** No information available  
**DSL/NDSL** No information available  
**EINECS/EIINCS** No information available  
**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

#### **U.S. Federal Regulations**

##### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	SARA 313 - Threshold Values %
-	-

##### **SARA 311/312 Hazard Categories**

**Acute Health Hazard** Yes  
**Chronic Health Hazard** No  
**Fire Hazard** No  
**Sudden Release of Pressure Hazard** No  
**Reactive Hazard** No

##### **CWA (Clean Water Act)**

This product contains the following substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA Reportable	CWA Toxic Pollutants	CWA Priority Pollutants	CWA Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lbs	-	-	X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environment Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lbs	-	RQ 1000 lbs final RQ RQ 454 kg final RQ

**US State Regulations****California Proposition 65**

Warning! This product may contain trace amounts of: Ethylene oxide 75-21-8; Nitrotriacetic acid, trisodium salt 5064-31-3; Formaldehyde 500-00-0, (N) Myrcene (Natural Source) 123-35-3.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	X	X	X
Dipropylene glycol monomethyl ether 34590-94-8	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not Applicable

**16. OTHER INFORMATION**

**NFPA**    Health Hazard 1    Flammability 0    Instability 0    Physical and Chemical Hazards 0

**HMIS**    Health Hazard 1    Flammability 0    Physical Hazard 0    Personal Protection B  
(safety glasses; gloves)

Prepared By                      Technical Department

Preparation/Revision Date      January 3, 2023

Version                              6

Revision Note                      Annual Review

**Reference****General Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**